

Polys P-1a 850W



DYTRON s.r.o.
Toužimská 943/24a, 197 00 Praha 9 - Kbely, Czech
Tel.: +420-2-66190011-3, fax: +420-2-66190038
E-mail: sales@dytron.eu
<http://www.dytron.eu>

« - »
7/8
./ : (495) 150-0822
E-mail: info@adr-t.ru
<http://www.adr-t.ru>

	2
1.	3
2.	3
3.	4
4.	4
4.1	Polys P-1a 850W SOLO	4
4.2	SP-1a 850W MINI	4
4.3	SP-1a 850W HOBBY	4
5.	5
5.1	5
5.2	5
5.3	5
5.4	5
5.5	5
5.6	5
6.	6
6.1	6
6.2	6
6.3	6
7.	7
8.	7
9.	8

1.

DYTRON –

2.

Polys P-1a 850W



« »

2



180–280°C

(1)
(2)
(3)

5-7°

320°

3.

:
:
:
:
:
:
:
:
:
:
: ±7°C
1,6

16-75

850
220 , 50

4.

Polys P-1a 650W

:



4.1 Polys P-1a 850W SOLO

•
• (6-) 6
• /
•
2,0

4.2

SP-1a 850W MINI

•
• (6-) 6
• 20, 25 32 ()
• /
• MINI
6,0



4.3

SP-1a 850W HOBBY

•
• (6-) 6
• 16, 20, 25 32 ()
•
• DYNØ Ø42
• /
• 6,7

5.

5.1



DIN.

16-125

Polys P-1a 850W
6-) 6

16-75



5.2

-4 -1.



5.3

-4 -1.

5.4



5.5

-4 -1.

5.6

40



6.



6.1

6.2



- (2)
- (3)

- 1...150–175°C
- 2...175–195°C
- 3...195–215°C
- 4...215–235°C
- 5...235–255°C
- 6...255–280°C

180–280°C

6

PN10,

260°C.

– 260°C.

(3)

5-10

(1),

(3)

6.3

(.) .

()

	16	20	25	32	40	50	63	75
,	5	5	7	8	12	12	24	30
,	4	4	4	6	6	6	8	8
,	6	6	10	10	20	20	30	30
,	2	2	2	4	4	4	6	6

3 (PPRC).

7.

DYTRON s.r.o.
 No.22/97 Sb. 168, 169, 170 and 173/97.

•
 •
 •
 • /
 •
 • / !
 •
 •
 •
 • !
 • 331600, 3- 1
 • 3-
 •
 •

8.

DYTRON.

9.

1.		4.
2.	24	5.
3.		5.1.
3.1.		3.1.,
3.2.		5.2.
		5.3.
	DYTRON DYTRON.	5.4.
		5.5.
		5.6.
		5.7.
3.3.	6	6.
3.4.		7.
		.1.