

EURO 160

EURO 200



Oy Uponor Infra Pipe Ab, Technology
PL 383, 65101 Vaasa, Finland
Tel. +358 6 326 5663
Fax +358 6 326 5690
www.kwhtech.com



Uponor Infra Tech GmbH
Industriestr. 15, 36088 Hünfeld, Germany
Tel. +49 6652 911 89 40
Fax +49 6652 911 89 44
www.kwhtech.com



« - »
: (495) 150-0822
www.adr-t.ru
E-mail: info@adr-t.ru

1	3
2	3
2.1	3
2.2	3
2.3	3
2.4	5
2.5	/ /	5
2.6	5
3	5
3.1	5
3.2	6
4	7
4.1	7
4.2	7
4.3	8
4.4	8
4.5	8
4.6	8
4.7	9
4.8	9
4.9	9
4.10	9
4.11	9
5	10
6	10

1

EURO 160; EURO 200

2

EURO 160 EURO 200

2.1

()
Uponor Infra Tech GmbH.

2.2



2.3

-
-
-
-
-



Внимание

(.1).



Внимание

(.1)



Внимание

200°C,

(.1)



Внимание

(.1).



Внимание

(, .).



Замечание



.1

2.4



Замечание

2.5

2.6

(“Maschinennr.”)

(Typ),

Stumpfschwei.maschine	
Typ	EURO 160
Maschinennr.	0614 5002
Uponor Infra Tech GmbH	
Industriestr. 15	
D - 36088 Hunfeld	
Tel. +49 6652 911 8940	
CE	

3

3.1

– 220 , 50 .
 EURO 160 EURO 200 – 1 510 1 900
 EURO 160 EURO 200 – 51 65
 : EURO 160 – 40-160 ; EURO 200 – 40-200
 EURO 160 EURO 200

70

(SDR)

	40	50	63	75	90	110	125	140	160	180	200
SDR 7,4	●	●	●	●	●	●	○	○	○	○	○
SDR 9	●	●	●	●	●	●	●	○	○	○	○
SDR 11	●	●	●	●	●	●	●	○	○	○	○
SDR 13,6	●	●	●	●	●	●	●	●	○	○	○
SDR 17	●	●	●	●	●	●	●	●	●	○	○
SDR 17,6	●	●	●	●	●	●	●	●	●	○	○
SDR 21	●	●	●	●	●	●	●	●	●	●	○
SDR 26	●	●	●	●	●	●	●	●	●	●	●
SDR 33	○	○	●	●	●	●	●	●	●	●	●
SDR 41	○	○	○	●	●	●	●	●	●	●	●

SDR 7,4 (-100 PN 25, -80 – PN 20, -63 – PN 16)
 Ø110

SDR 9 (-100 – PN 20, -80 – PN 16, -63 – PN 12,5) Ø125

SDR 13,6 (-100 – PN 12,5, -80 – PN 10, -63 – PN 8) Ø140

SDR 17 (-100 – PN 10, -80 – PN 8, -63 – PN 6,3) Ø160

SDR 21 (-100 – PN 8, -80 – PN 6,3, -63 – PN 5) Ø180

SDR 26

SDR 33 SDR 41

3.2



. 2

(EURO 160, EURO 200)

(.2)

160 ,

Ø160 .

63, 75, 90, 110, 125 140 ;

: Ø40, 50,

EURO 200

Ø200 .

Ø180 .



. 3

(.4).

(.3).

()


4

EURO 160 EURO 200

4.1




4.2



(1) (2) (3) (4)

5.
240±8°

4



5

2-3




4.3

Ø160 Ø200

(.7).

.6




(.6)

.7

4.4

(.8),

4.5



.8

(.8).


2-3



4.6

10%

4.7



.9

(.9).

4.8

4.9

(.10).



.10

4.10



Замечание

4.11

(.11).



.11

5

() ()
SDR:

SDR	7,4	9	14	22,5	32	46	68					
	11	6,5	10	16	22,5	32	47	61				
	17,6	4	6,5	10	14,5	20,5	31	39,5	50	65		
	26	3,6	4,6	7,5	10	14,5	21,5	28	34	45	57	70
	33			5,8	8,5	11,5	17,5	22,5	28	36,5	46	57
	41				7	9	14	18	23	29	36,5	45
DN	40	50	63	75	90	110	125	140	160	180	200	

14,5

Ø90

SDR 26.



10-
(Ø90 , SDR 26),

35

3,5

6

1.	4.
2.	5.
3.	5.1.
3.1.	5.2.
3.2.	5.3.
	5.4.
	5.5.
	5.6.
	5.7.
3.3.	6.
3.4.	7.
	8.
	9.
	10.